

*Max Speed Limit 35mph.*  
**CALUMET COUNTY HIGHWAY COMMISSION**  
**241 E CHESTNUT STREET**  
**CHILTON WI 53014**

**SINGLE TRIP APPLICATION/PERMIT**

To transport a nondivisible load exceeding statutory size and/or weight  
 This form cannot be used for permitting mobile homes/modular building sections.

MV2604 490 (Replaces ET566) s.348.26(2),(3) Wis. Stats.

Permit Customer Number - If Available PC -		Insurance Company				
Applicant Name - Vehicle Owner or Lessee		Address				
Address		Address				
City	State	Zip Code	City			
			State			
			Zip Code			
Area Code/Telephone Number	Date of Move	Policy Number				
LOAD - Article(s) Transported		Policy Expiration Date				
NOTE: Single trip permits are issued by the Wisconsin Dept. of Transportation at Madison, and by its district offices for movements on the state trunk highway system only; by the County Highway Commissioners for movement on county trunk highways in their respective counties; and by the officer in charge of maintenance for movements on highways and streets in their respective jurisdictions.		Permit Requested For				
		<input type="checkbox"/> Overlength <input type="checkbox"/> Overwidth <input type="checkbox"/> Overheight <input type="checkbox"/> Overweight				
Towing Vehicle <input type="checkbox"/> Truck <input type="checkbox"/> Truck-tractor <input type="checkbox"/> Other		Size	Length	Width	Height	Weight
			Feet	Inches	Feet	Inches
Make License or Vehicle Identification No.		No. axles	State		Load Towing Vehicle Towed Vehicle Overall	

**Towed Vehicle - Check ALL that apply:**

	Semi-trailer	Full trailer	Dollies	Other (Identify)	Make	No. of axles	License or Vehicle Identification No.	State
1								
2								
3								

**Weight - Axle Spacing - Tires - by axle, front to rear**

Axle Number	1 (front)	2	3	4	5	6	7	8	9
Number of Pneumatic Tires									
Requested Gross Axle Weight When Loaded (lbs.)									
Spacing Between Axles									

**Trip Information**

Route Loaded Trip	From (City, Village, Township, etc.)	To (City, Village Township, etc.)
	Via (Highways)	
Return If Different From Above Route In Reverse	From (City, Village, Township, etc.)	To (City, Village Township, etc.)
	Via (Highways)	

**Acceptance of Conditions**

I, the applicant, certify that the statements contained in the application are true and correct, and that if granted a permit, I will comply with all terms and conditions which apply.

**X**

Validation: Permit is valid ONLY when form MV2605 is attached. Approved as to movement on highways under indicated jurisdiction:		(Applicant or Authorized Agent)		(Date)
		Unit of Government	Name	Position
Permit Number	Fee Paid	Unit of Government	Name	Position
Permit Effective Date	Permit Expiration Date	Unit of Government	Name	Position

\* Police Escort is Required. Please make arrangements with the Calumet County Sheriff's Department 920-849-1431.



## SINGLE TRIP PERMIT GENERAL CONDITIONS

### To Transport Nondivisible Loads Exceeding Statutory Size and/or Weight Limits

Wisconsin Department of Transportation  
MV2605 8/2014

The following conditions apply to operations under all single trip permits issued under s.348.26(2) Wisconsin Statutes and Ch. Trans 254 Wisconsin Administrative Code, unless an exemption is specifically stated.

1. **PERMIT APPLICATION.** (1) An application for a permit for the use of a state trunk highway within the geographical boundaries of a local authority shall be submitted to the applicable local authority in the manner prescribed by the local authority. (2) A request for an extension of a permit may be made any time until the third day after the permit's expiration date.
2. **SUFFICIENCY.** The issuance of a permit is not a guarantee of the sufficiency of any highway or structure for the transporting of the vehicle, load, or vehicle and load.
3. **VEHICLE COMBINATIONS.** A permit may not authorize the operation of more than 2 vehicles in combination. This does not prohibit the use of dollies to support or assist in supporting one or both ends of a trailer.
4. **PERMIT VALIDITY.** (1) A permit is valid only for the vehicle described in the application and permit. (2) A permit is valid only on the route specified in the permit. (3) A permit may not be used in combination with a multiple trip permit to authorize the movement of an oversize or overweight vehicle, load, or vehicle and load. (4) An oversize or overweight vehicle may not be operated on a highway, whether loaded or empty, at any time that the permit is not valid.
5. **RETURN TRIP.** A permit is valid only for the movement specified in the permit, which may include the return trip on the reverse route if requested and approved, and which includes the movement of the empty vehicle, whether or not oversize or overweight, to and from the place of pickup or delivery of the permitted load.
6. **ROADWAY LIMITATIONS.** (1) An issuing authority may suspend a permit, or any of its conditions, because of seasonal highway conditions. Examples of seasonal highway conditions include spring thaw, flooding and traffic congestion. (2) A permit is not valid during periods when adverse weather or road conditions, such as fog, smoke, heavy rain, snow or ice, or wind velocity, impair the safety of a movement under the permit.
7. **POSTED ROADS AND BRIDGES.** No condition of a permit may modify any law or regulation limiting loads because of local conditions, including load limits on bridges and highways, seasonal weight restrictions, or load limits imposed because of construction.
8. **VEHICLE REGISTRATION.** (1) A vehicle operating under a permit shall be registered as required by Wisconsin Statutes, and shall be registered at not less than the permit weight or at the maximum available registration weight, whichever is less. (2) All other operational permits required by the department, the office of the commissioner of transportation, or other agencies having jurisdiction shall be obtained.
9. **CARRY PERMIT.** The driver of a vehicle operating under a permit shall carry the permit in the vehicle to which it applies and shall have the permit available for inspection by any police officer, representative of the issuing authority, or person in charge of the maintenance of the highway being used.
10. **OPERATING REQUIREMENTS.** (1) The driver of a vehicle operating under a permit shall, whenever reasonable and practicable, maintain a distance of not less than 1,000 feet between the permitted vehicle and any vehicle the driver is following, unless actually engaged in overtaking and passing another vehicle. (2) The driver of a vehicle operating under a permit shall allow traffic approaching or overtaking the permitted vehicle to pass, where it is safe to do so. (3) The right wheels of the towed unit may not leave the roadway, except to allow traffic to pass. A "roadway" does not include paved or unpaved shoulders.
11. **SPEED.** Except as provided in Condition (12), or unless a lower speed is specified in the permit, a vehicle operating under a permit may be operated at the posted speed limit.
12. **SPEED RESTRICTION FOR LOADS 16 FEET OR WIDER.** The maximum speed of any vehicle with a load 16 feet or wider operating on highways without paved shoulders shall be 35 miles per hour.
13. **DIMENSIONS.** (1) The maximum size, axle, axle combination, and total weight limitations authorized by a permit may not be exceeded. (2) Property transported under a permit shall be loaded to minimize its size and weight. (3) An oversize vehicle used for transporting loads under a permit shall be reduced to legal size whenever possible when being operated without load. (4) A load transported under a permit may not extend beyond the front of the power unit, beyond the left fender line of the transporting vehicle, or more than six inches beyond the right fender of the transporting vehicle, unless the overhang is minimized by suitable positioning of the load upon the vehicle.
14. **LOADING LIMITATIONS.** (1) Vehicles and loads which, when reasonably divided, would not be oversize or over-weight, may not be transported under the permit. (2) Loads which, when reasonably repositioned on the transporting vehicle would not be oversize or overweight, may not be transported under the permit. (3) Loads consisting of more than one article, none of which are oversize, may not be transported under the permit. (4) Loads consisting of more than one article, one or more of which are oversize, may be transported under a permit only if (a) the vehicle and load is not overweight, and (b) the other articles transported do not cause the vehicle and load to be oversize in any manner differently from the largest single article. (5) The load shall be properly secured and fastened to the transporting vehicle. (6) Wheels on one side of a transporting vehicle may not carry more than 60% of the total gross load.
15. **LIGHTING.** (1) All required lamps shall be illuminated whenever a vehicle is operated during hours of darkness. (2) All lamps shall be visible at a distance of 500 feet. (3) An oversize vehicle, or a vehicle with an oversize load operating during the hours of darkness, shall be equipped with the following additional lamps:  
**OVERWIDTH vehicle or vehicle/load:** (a) At the outermost extremity of the foremost edge of the projecting load, an amber lamp visible from the front and side; (b) At the outermost extremity at the rearmost edge of the projecting load, a red lamp visible from the rear and side; (c) Any portion of an overwidth load extending beyond the width of the foremost or rearmost edge of the vehicle or load, shall be marked with an amber lamp visible from the front, both sides, and rear; (d) The overwidth portion of a load measuring 3 feet or less from front to rear, shall be marked with an amber lamp visible from the front, both sides and rear.  
**OVERLENGTH vehicle or oversize load which extends more than 4 feet beyond the rear of the vehicle:** (a) On each side of the projecting load, 1 red lamp, visible from the side, located so as to indicate maximum overhang; (b) On the rear of the projecting load, 2 red lamps, visible from the rear, 1 at each side and 2 red reflectors visible from the rear, 1 at each side, located so as to indicate maximum width.
16. **WARNING LAMPS.** When required by a permit, warning lamps shall be operated as required by Ch. Trans 254.10(2) Wis. Admin. Code.

*Continued on next page.*

# SINGLE TRIP PERMIT GENERAL CONDITIONS (continued)

Wisconsin Department of Transportation MV2605

17. **WARNING FLAGS.** (1) When a vehicle, load, or vehicle and load is overlength, a single flag shall be fastened at the extreme rear of the load if the overlength or projecting portion is 2 feet wide or less. (2) When a vehicle, load, or vehicle and load is overlength, 2 flags shall be fastened at the rear of the load to indicate maximum width if the overlength or projecting portion is wider than 2 feet. (3) When a vehicle, load, or vehicle and load is overwidth, a flag shall be fastened at each front and rear corner of the load. In addition, if any part of the load is more than 4 inches wider than the width of load or vehicle at the front or rear, a flag shall be placed at the widest point of the load. (4) Each flag shall be solid red or orange in color, and not less than 18 inches square. (5) In order to wave freely, flags shall be securely fastened by at least one corner or securely mounted on a staff.
18. **WARNING SIGNS.** (1) When a vehicle, load, or vehicle and load, is more than 10 feet wide or is overlength, 2 warning signs shall be displayed. One sign shall be fastened at the front of the power unit and the other at either the rear of the towed unit or at the rear of the load. (2) Each sign shall state, in black letters on a yellow background, "OVERSIZE LOAD," and may not be less than 7 feet long and 18 inches high. The letters of the sign may not be less than 10 inches high with a brush stroke of not less than 1.4 inches. (3) The sign message may not be displayed when the vehicle is not operating under the permit.
19. **TIMES OF OPERATION – OVERWEIGHT ONLY.** Except as otherwise specified in a permit, a vehicle, load, or vehicle and load that is overweight, but not oversize, may operate 24 hours a day, including weekends and restricted-travel holidays.
20. **TIMES OF OPERATION – IF SIZE DOES NOT EXCEED 12'00" WIDE, 13'06" HIGH OR 150'00" LONG.** Except as otherwise specified in a permit, no oversize vehicle or vehicle combination operating under a permit may be operated in Columbia, Dane, Milwaukee, Rock and Waukesha counties between the hours of 4:00 p.m. and 8:00 p.m. on any of the following days: (1) Sunday; (2) any Friday in the period beginning on the 4th Friday in May and ending on Labor Day; (3) any restricted-travel holiday; (4) the day before any restricted-travel holiday, except July 3rd if that day falls on a Saturday.
21. **TIMES OF OPERATION – IF SIZE IS GREATER THAN 12'00" WIDE, 13'06" HIGH OR 150'00" LONG.** In addition to the limitations provided in condition (20), no oversize vehicle or vehicle combination operating under a permit and that exceeds 12 feet in width, 13 1/2 feet in height, or 150 feet in length, may operate in any county: (1) during the hours of darkness; (2) during the period beginning at 12:00 noon on Saturday and continuing until sunrise on Sunday; (3) Between 4:00 p.m. and 8:00 p.m. on Sunday; (4) During the period beginning at 12:00 noon on the day preceding and continuing until sunrise on the day following every restricted-travel holiday.
22. **TIMES OF OPERATION – MILWAUKEE EXPRESSWAY.** In addition to the limitations provided in conditions (20) and (21), no oversize vehicle or vehicle combination may operate on any part of the Milwaukee county expressway system constructed pursuant to s. 59.965, Stats., except on U.S. highway 45 between West Florist Avenue and West Hampton Avenue and on Interstate highway 94 between the Waukesha county line and WI-100/Mayfair Road/108th Street at the following days and times: (1) Monday through Thursday at the following times: (a) between 6:00 a.m. and 9:00 a.m. (b) between 3:00 p.m. and 6:00 p.m. (2) Friday between 6:00 a.m. and 9:00 a.m. (3) Friday or Sunday between 3:00 p.m. and 8:00 p.m.
23. **DISCRETIONARY AUTHORITY.** An issuing authority may issue a permit for times other than those specified in Conditions (19), (20), (21) or (22), under extraordinary circumstances when, in the opinion of the issuing authority, public health and welfare is better served, and may impose additional conditions to promote the safe operation of the vehicle and load.
24. **ROUTE LIMITATIONS.** (1) No permit allowing the dimensions of a vehicle or load to exceed 14 feet in width, 14 1/2 feet in height or 150 feet in length is valid on any part of the Milwaukee county express-way system constructed pursuant to s. 59.965, Stats., except on U.S. highway 45 between West Florist Avenue and West Hampton Avenue and on Interstate highway 94 between the Waukesha county line and WI-100/Mayfair Road/108th Street. (2) Self-propelled, carry-all scrapers operating under a permit may not be operated on the interstate highway system, the Milwaukee county expressway system, or on U.S. highway 41 between Green Bay and Milwaukee.
25. **LOCAL ROADS.** A permit issued by the department for a movement which is partly on the state trunk highway system and partly on other classes of highways is valid only on state highways. [Obtain permission from local authorities to travel local roads.]
26. **LIABILITY.** (1) In applying for and accepting a permit, a permittee agrees to: (a) pay any claim for any bodily injury or property damage resulting from operation under the permit for which the permittee is legally responsible; (b) hold the state, its subdivisions, officers, employees and agents harmless from any claim which may arise from operation over public highways under the permit. (2) Whether or not insurance, bond, or deposit as set forth in Ch. Trans 254.14(7) Wis. Admin. Code is required, the permittee shall be liable for all damages which any highway or its appurtenances may sustain by reason of any operation under the permit.
27. **LIABILITY INSURANCE.** The following insurance amounts are required: (1) When the permitted load does not exceed 12 feet in width, 13 1/2 feet in height, or 100 feet in length and is not overweight by more than 25 percent:

Bodily injury liability–each person .....	\$150,000
Bodily injury liability–each accident.....	\$450,000
Property damage liability–each accident.....	\$300,000
OR \$750,000 combined single limit	

(2) When the permitted load exceeds the size or weight limitations in par. (1):

Bodily injury liability–each person .....	\$200,000
Bodily injury liability–each accident.....	\$600,000
Property damage liability–each accident.....	\$400,000
OR \$1,000,000 combined single limit	
28. **OVERHEIGHT – WIRES AND CABLES.** When a vehicle operating under a permit is overheight, the permittee shall give prior notice to the owners of overhead wires, cables or other facilities which may be affected.

Direct online application and self-issuance are now available. Contact us at [oversize-permits.dmv@dot.state.wi.us](mailto:oversize-permits.dmv@dot.state.wi.us) for instructions.

### Single Trip Permit

Maximum size and weight for which a single trip permit may be granted:

Length - Single vehicle 50 ft.                      Mobile crane 60 ft.

The overall length, width and height of other loads depends on type of load.

If the spacing between adjacent axles is less than 42 inches, the axle can carry no more than a single axle.

#### Weight Limitation

#### Gross Weight In Pounds

Steering Axle	20,000
Any Other Axle	35,000
Additional weight limitations may be imposed by route.	

### Mobile Homes and/or Modular Building Sections

Maximum size for which a single trip permit may be granted:

Overall Length	100 feet
Mobile Home or Modular Only	80 feet
Overall Width limitations will be determined by route.	

### Insurance Requirements

The permittee shall have at least the following insurance coverage in full force and effect on the vehicle and load designated in the permit while operating on the public highway.

	Group A			Group B	
Bodily Injury Liability - each person	\$150,000		OR	\$750,000	\$200,000
Bodily Injury Liability - each accident	450,000			Combined	600,000
Property Damage Liability - each accident	300,000			Single Limit	400,000
					OR
					\$1,000,000
					Combined
					Single Limit

**Group A** Applies when the permitted load does not exceed 12 feet in width, 13 1/2 feet in height, or 100 feet in length and does not exceed statutory gross weight limits by more than 25%.

**Group B** Applies when the permitted load exceeds the size and weight limitations in Group A.